


# MIRROR 4145

## PRODUCT DETAILS, TECHNICAL DETAILS AND FITTING INSTRUCTIONS





ITEM NUMBERS: U4145-B, U4145-W, U4145-BMG, U4145-BOC U4145-BCB

MATERIAL: ALUMINIUM

DESIGNED BY BØNNELYCKE MDD


- Use two B wall plugs (Ø8x40) and C screws (Ø5x40) for the top holes of the mirror.






## **MOUNTING: VERTICALLY**

- Use two (B) wall plugs (Ø8x40) and (C) screws (Ø5x40) for the top holes of the mirror.
- 2 Mount the (A) mirror on the (C) screws (Ø5x40) as illustrated.







#### **CLEANING AND MAINTENANCE**

Surfaces should be cleaned with a microfiber cloth, glass cleaner or other non abrasive and gentle agents.

#### ATTENTION:

Never use solvents or aggressive household cleaners like bleach, acids (e.g. descalers) or ammonia-based bathroom cleaner to clean the product. Steel wool and hard brushes can permanently damage the surface of the steel.

## **EXCLUSION OF LIABILITY**

FROST accepts no liability whatsoever for damage to persons or property that occurs or has occurred as a result of improper installation or maintenance, particularly if the safety instructions and other points to note listed are not or have not been observed in full.

### WARNING AND HAZARD NOTICES

Improper mounting or use can lead to accidents and serious injuries.

#### www.frostdenmark.com

We are also to be found as frostdenmark on Facebook, Instagram, Pinterest and LinkedIn





