



WARDROBE-/ TOWEL SHELF 1936 & 1936-1

DESIGNED BY FROST DENMARK

PRODUCT DETAILS, TECHNICAL DETAILS AND FITTING INSTRUCTIONS







MATERIAL: STAINLESS STEEL AVAILABLE IN THE FROST FINISHES:



N1936 N1936-1 BRUSHED STAINLESS



N1936-1 POLISHED STAINLESS



N1936-BOC BRUSHED COPPER



N1936-C POLISHED COPPER



N1936-BMG BRUSHED GOLD



N1936-GO POLISHED GOLD



N1936-BCB BRUSHED BLACK



N1936-B MATT BLACK




MATT

WHITE


ASSEMBLING THE SHELF

Begin by gently inserting the five crossbars into the pre-drilled holes on one of the side frames. Use small rotational movements to ease them into place. For some finish models, you may need to apply a bit more force to fully insert the crossbars.

Once all five crossbars are securely in place, attach the opposite side frame by aligning it with the ends of the crossbars. Again, use gentle rotational movements to guide the bars into the holes.




Using the 2,5 mm hex key (B), tighten the six set screws (A) to lock the crossbars into position.



ADDITIONAL HOOKS AND HANGERS

If you wish to mount closed hangers or hooks—such as the Hook N1907—onto the shelf, slide them onto your chosen crossbar before completing the assembly.




ALL MEASUREMENTS ARE IN MILLIMETERS WWW.FROSTDENMARK.COM


MOUNTING

Place the Shelf in the desired position and mark the screw holes as illustrated, with a CC distance of either 600 or 1000 mm.

Drill the marked holes using a 6 mm drill bit and insert the enclosed Ø6x30 mm wall plugs \odot .




With a Phillips screwdriver with bit PH2 tighten the enclosed 5x50 mm screws ①, but leave a small gap between the screw head and the wall.



Lift the Shelf and slide it down onto the mounted screws (a) until it locks into place.

Make sure it is securely positioned before use.



ALL MEASUREMENTS ARE IN MILLIMETERS WWW.FROSTDENMARK.COM

CLEANING AND MAINTENANCE

Surfaces should be cleaned with a microfiber cloth, glass cleaner or other non abrasive and gentle agents.

ATTENTION:

Never use solvents or aggressive household cleaners like bleach, acids (e.g. descalers) or ammonia-based bathroom cleaner to clean the product. Steel wool and hard brushes can permanently damage the surface of the steel.

EXCLUSION OF LIABILITY

FROST accepts no liability whatsoever for damage to persons or property that occurs or has occurred as a result of improper installation or maintenance, particularly if the safety instructions and other points to note listed are not or have not been observed in full.

WARNING AND HAZARD NOTICES

Improper mounting or use can lead to accidents and serious injuries.

www.frostdenmark.com

Bavne Alle 32, 8370 Hadsten, Denmark E-mail: info@frost.dk • Phone: (+45) 87 61 00 32

We are also to be found as frostdenmark on Facebook, Instagram, Pinterest and LinkedIn





