

FROST

D E N M A R K

NOVA2 PAPER DISPENSER

Fitting instruction
Montageanleitung
Monteringsvejledning
Monteringsvåglledning
Montage hanleiding
Manuel de montage

N1944




Exclusion of liability

FROST accepts no liability whatsoever for damage to persons or property that occurs or has occurred as a result of improper installation or maintenance, particularly if the safety instructions and other points to note listed are not or have not been observed in full.

Warning and hazard notices

Improper mounting or use can lead to accidents and serious injuries.

Paper: 220 x 90 mm
Tork Xpress Soft H2 or similar




Cleaning and maintenance




Stainless steel surfaces should be cleaned with a microfibre cloth, glass cleaner or other non abrasive and gentle agents.

Attention:

Never use solvents or aggressive household cleaners like bleach, acids (e.g. descalers) or ammonia-based bathroom cleaner to clean the product. Steel wool and hard brushes can permanently damage the surface of the steel.



Recommended mounting height 1600-1750 mm



FROST
DENMARK

Bavne Allé 32
DK-8370 Hadsten
+45 8761 0032
info@frost.dk

www.frostdenmark.com

N1944



O1944



N1944-C



N1944-BOC



N1944-GO



N1944-BMG



N1944-B



N1944-BCB





N1944-W



Material: Stainless steel, AISI 304
Design: Bønnelycke mdd
Manufacturer: FROST A/S

PAPER DISPENSER




3x



D6.0 - H30

(A)

3x



D8.1 - DB4.0 - L40

(B)