


Architectura Hardware

HB203 CENTER (A2004)

...


PRODUCT DETAILS, TECHNICAL DETAILS AND FITTING INSTRUCTIONS



HB203 MODUL (A2004.MODUL)

...

PRODUCT DETAILS, TECHNICAL DETAILS AND FITTING INSTRUCTIONS (fits scandinavian standard locks)



CENTER

HB203 CENTER

bathroom indicator, 2 pcs. a set

Stainless Steel

Rose: Ø50 x 4 mm

Projection: 30 mm


Door thickness: 34-50 mm

Spindles: 5 x 5 x 53 mm + 8 x 8 x 70 mm

Design: Bønnelycke mdd



Brushed Stainless
A2004B



Brushed Copper
A2004BOC




Brushed Gold
A2004BMG



Brushed Black
A2004BCB



Polished Stainless
A2004P



Polished Copper
A2004C



Polished Gold
A2004GO



Matt Black
A2004BL

MODUL

HB203 MODUL

bathroom indicator, 2 pcs. a set

fits scandinavian standard locks

Stainless Steel

Rose: Ø50 x 4 mm

Projection: 30 mm


Door thickness: 34-50 mm

Spindle: 5 x 5 x 53 mm

Design: Bønnelycke mdd



Brushed Stainless
A2004B



Brushed Copper
A2004BOC




Brushed Gold
A2004BMG




Brushed Black
A2004BCB



Polished Stainless
A2004P



Polished Copper
A2004C



Polished Gold
A2004GO



Matt Black
A2004BL


CLEANING AND MAINTENANCE

Stainless steel surfaces should be cleaned with a microfibre cloth, glass cleaner or other non abrasive and gentle agents.












ATTENTION:


Never use solvents or aggressive household cleaners like bleach, acids (e.g. descalers) or ammonia-based bathroom cleaner to clean the product. Steel wool and hard brushes can permanently damage the surface of the steel.

FITTING INSTRUCTIONS



WHAT IS IN THE BOX

(A1)	(A2)	(A3)
1x	1x	1x
		
Spindle: 63 mm	Spindle: 53 mm	Spindle: 70 mm
(B)	(C)	(D)
2x	1x	2x
		
M4X20	Plastic insert	Plastic tube plug
(E1)	(E2)	(E3)
2x	2x	4x
		
Machine screw: M4x62 brake off	Machine screw: M4x35	Wood screw: ST4x16
(F)	(G)	
1x	1x	
		
Torx no. 15	Allen key 2 mm	



FROST A/S
BAVNE ALLÉ 32
DK - 8370 HADSTEN

T +45 8761 0032

info@frost.dk
www.frostdenmark.com

facebook.com / FROSTdenmark
twitter.com / FROSTdenmark
instagram.com / FROSTdenmark
pinterest.com / FROSTdenmark

Copyright © 2021. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording or any other information storage and retrieval system, without prior permission from FROST A/S.

We reserve the right to make alterations to the models without prior notice.