


FROST

DENMARK

BOTTLE TRAP 1997

DESIGNED BY BØNNELYCKE MDD

PRODUCT DETAILS, TECHNICAL DETAILS
AND FITTING INSTRUCTIONS



MATERIAL: STAINLESS STEEL

AVAILABLE IN THE NINE FROST FINISHES:



F1997

BRUSHED
STAINLESS



F1997-P

POLISHED
STAINLESS



F1997-BOC

BRUSHED
COPPER



F1997-C

POLISHED
COPPER



F1997-BMG

BRUSHED
GOLD



F1997-GO

POLISHED
GOLD



F1997-BCB

BRUSHED
BLACK



F1997-B

MATT
BLACK




F1997-W

MATT
WHITE

BEFORE MOUNTING

- ① Turn off the water supply before installation.

Compare the bottle trap to your bathroom setup and measure the X and Y dimensions. These should match, once the product is installed, as illustrated.





MOUNTING

- ① Start by cutting the outlet pipe (A) to the required length based on your earlier observations.

Slide the rubber washer (B) and the fitting nut (C) on the end of the outlet pipe (A). Afterwards slide the cover seal (D) and the rubber seal (E) on.



Push the pipe and fittings into the waste pipe in the wall.




-
- ② To connect the inlet pipe (F) and the bottle trap (G) to the setup, start by screwing the fitting nut (C) onto the bottle trap.

Then, use the fitting nut (H) to adjust the inlet pipe (F) to the required height and connect it to the sink's plug using the fitting nut (I).

Turn on water supply and check for leaks.



-
- ③ To empty and clean the bottle trap, use a coin or a suitable tool to loosen the bottom cap (J), and empty out the water and any remaining waste.



CLEANING AND MAINTENANCE

Surfaces should be cleaned with a microfiber cloth, glass cleaner or other non abrasive and gentle agents.

ATTENTION:

Never use solvents or aggressive household cleaners like bleach, acids (e.g. descalers) or ammonia-based bathroom cleaner to clean the product. Steel wool and hard brushes can permanently damage the surface of the steel.

EXCLUSION OF LIABILITY

FROST accepts no liability whatsoever for damage to persons or property that occurs or has occurred as a result of improper installation or maintenance, particularly if the safety instructions and other points to note listed are not or have not been observed in full.

WARNING AND HAZARD NOTICES

Improper mounting or use can lead to accidents and serious injuries.

www.frostdenmark.com

Bavne Alle 32, 8370 Hadsten, Denmark

E-mail: info@frost.dk • Phone: (+45) 87 61 00 32

We are also to be found as frostdenmark on Facebook,
Instagram, Pinterest and LinkedIn

