


# MOUNTING BARS FOR SHELVES


DESIGNED BY BØNNELYCKE MDD

PRODUCT DETAILS, TECHNICAL DETAILS AND FITTING INSTRUCTIONS


# MOUNTING BAR 4000-200-BAR




# MOUNTING BAR 4000-400-BAR



# MOUNTING BAR 4000-600-BAR



# MOUNTING BAR 4000-1000-BAR



MATERIAL: STAINLESS STEEL

## **MOUNTING OF DISTANCE BAR**


Use this Mounting Bar (A) to achieve the same distance from the wall, as your UNU Shelves with Backlight Bars.

Note: UNU Shelves are sold separately.

Determine and mark the positions for the screw holes where the Mounting Bar will be mounted on the wall.

Use an 8 mm drill bit to drill the marked holes. Insert the Ø8x38 mm wall plugs  $\bigcirc$  into the holes.


Secure the Mounting Bar  $\stackrel{\triangle}{\mathbb{A}}$  to the wall using the provided  $\emptyset$ 5x40 mm screws  $\stackrel{\triangle}{\mathbb{D}}$ . Use a Phillips screwdriver with a PH2 bit to tighten the screws.



Slide your UNU Shelf (B) onto the Mounting Bar (A).


#### Note for UNU Coat Rack models:

Additional steps are required before use. Please continue with the following instructions specific to Coat Rack installation.




# MOUNTING OF UNU COAT RACKS

Mark the placement of two screw holes as illustrated.
Then slide the Coat Rack (a) off the Mounting Bar (a).




ALL MEASUREMENTS ARE IN MILLIMETERS WWW.FROSTDENMARK.COM


Drill the marked holes and insert the two Ø6x30 wall plugs (E). Then slide the Coat Rack (B) back on to the Mounting Bar (A).



Secure the Coat Rack with the brass inserts (a) and Ø4x50 screws (b) and place the Plastic Spacers (d) behind the shelf.

Afterwards press the hooks  $\ensuremath{\boxdot}$  on the brass inserts.





ALL MEASUREMENTS ARE IN MILLIMETERS WWW.FROSTDENMARK.COM

## **CLEANING AND MAINTENANCE**

Surfaces should be cleaned with a microfiber cloth, glass cleaner or other non abrasive and gentle agents.

## ATTENTION:

Never use solvents or aggressive household cleaners like bleach, acids (e.g. descalers) or ammonia-based bathroom cleaner to clean the product. Steel wool and hard brushes can permanently damage the surface of the steel.

# **EXCLUSION OF LIABILITY**

FROST accepts no liability whatsoever for damage to persons or property that occurs or has occurred as a result of improper installation or maintenance, particularly if the safety instructions and other points to note listed are not or have not been observed in full.

# WARNING AND HAZARD NOTICES

Improper mounting or use can lead to accidents and serious injuries.

## www.frostdenmark.com

Bavne Alle 32, 8370 Hadsten, Denmark E-mail: info@frost.dk • Phone: (+45) 87 61 00 32

We are also to be found as frostdenmark on Facebook, Instagram, Pinterest and LinkedIn





