

FROST

DENMARK


NOVA2
HOOK 6L x 2 & HOOK 6L x 4

Fitting instruction
Montageanleitung
Monteringsvejledning
Monteringsvægledning
Montage hanleiding
Manuel de montage

N1902-1



N1902-2




Exclusion of liability

FROST accepts no liability whatsoever for damage to persons or property that occurs or has occurred as a result of improper installation or maintenance, particularly if the safety instructions and other points to note listed are not or have not been observed in full.


Warning and hazard notices

Improper mounting or use can lead to accidents and serious injuries.


HOOK 6L x 2



HOOK 6L




HOOK 6L x 4




N1902-1

1




2




N1902-2

1



2



2

FROST

DENMARK

Bavne Allé 32
DK-8370 Hadsten
+45 8761 0032
info@frost.dk

www.frostdenmark.com


N1902-1
» brushed




O1902-1
» polished



N1902-2
» brushed





O1902-2
» polished





Material: Stainless steel, AISI 304
Design: Bønnelycke mdd
Manufacturer: FROST A/S

HOOK 6L X 2



HOOK 6L X 4



Cleaning and maintenance

Surfaces should be cleaned with a microfibre cloth, glass cleaner or other non abrasive and gentle agents.

Attention:

Never use solvents or aggressive household cleaners like bleach, acids (e.g. descalers) or ammonia-based bathroom cleaner to clean the product. Steel wool and hard brushes can permanently damage the surface of the steel.