


FROST
DENMARK

SHOWER SHELF 1947-1


DESIGNED BY BØNNELYCKE MDD

PRODUCT DETAILS, TECHNICAL DETAILS
AND FITTING INSTRUCTIONS



MATERIAL: STAINLESS STEEL

AVAILABLE IN THE NINE FROST FINISHES:






MOUNTING OF N1947-1

1

Shelf 1947-1 is mounted directly on the shower rail.


Position the shower shelf around the shower rail at the desired height. Place the mounting bracket on the opposite side of the rail so it aligns with the shelf connection point.



2

Insert and tighten the two fixing screws underneath the shelf, securing the mounting bracket firmly around the shower rail.


Ensure the shelf is level and correctly positioned before fully tightening.



3

Check that the shower shelf is securely fastened to the rail.

The shelf is now ready for use.



CLEANING AND MAINTENANCE

Surfaces should be cleaned with a microfiber cloth, glass cleaner or other non abrasive and gentle agents.

ATTENTION:

Never use solvents or aggressive household cleaners like bleach, acids (e.g. descalers) or ammonia-based bathroom cleaner to clean the product. Steel wool and hard brushes can permanently damage the surface of the steel.

EXCLUSION OF LIABILITY

FROST accepts no liability whatsoever for damage to persons or property that occurs or has occurred as a result of improper installation or maintenance, particularly if the safety instructions and other points to note listed are not or have not been observed in full.

WARNING AND HAZARD NOTICES

Improper mounting or use can lead to accidents and serious injuries.

www.frostdenmark.com

Bavne Alle 32, 8370 Hadsten, Denmark

E-mail: info@frost.dk • Phone: (+45) 87 61 00 32

We are also to be found as frostdenmark on Facebook,
Instagram, Pinterest and LinkedIn

